	FORM 3												
								AMENDE	D REPORT				
						DIVISION O	F OIL, GAS AND M	INING					
	APPLICATION FOR PERMIT TO DRILL							1. WELL NAME and NUMBER RW 2C4-23B					
2. TYPE C	OF WORK								3. FIELD OR WILDCAT		.011		
4. TYPE C	DRILL NEW WELL (REENTER P&A WELL DEEPEN WELL								5. UNIT or COMMUNI	RED WA		NT NAM	
	OF OPERATO	D	Gas Well	l Co	albe	d Methane Well: NO			7. OPERATOR PHONE	RED WA			
				QEP ENEF	RGY (COMPANY				303 308-	3068		
8. ADDRE	SS OF OPERA	TOR	11002 Ea	ast 17500 S	South	n, Vernal, Ut, 84078			9. OPERATOR E-MAIL debbie	- e.stanberry	@qepres.c	om	
	RAL LEASE NU L, INDIAN, OR	STATE)				11. MINERAL OWNERS FEDERAL IND	SHIP DIAN () STATE () FEE	12. SURFACE OWNER	SHIP DIAN	STATE () FE	E ()
13. NAME	OF SURFAC	UTU082 E OWNER (if box	12 = 'fee'))					14. SURFACE OWNER	R PHONE (i	,		
15. ADDR	ESS OF SURF	ACE OWNER (if	oox 12 = 'fe	fee')	_				16. SURFACE OWNER	R E-MAIL (i	f box 12 =	: 'fee')	
						18. INTEND TO COMM	INGLE PRODUCTION	I FROM	19. SLANT				
	N ALLOTTEE 2 = 'INDIAN')	OR TRIBE NAME				MULTIPLE FORMATION	NS	_			-		_
						YES (Submit C	ommingling Applicati	on) NO 📵	VÉRTICAL () DIF	RECTIONAL	<u>ш</u> но	RIZONT	AL 💭
20. LOC	ATION OF WE	LL			FOC	DTAGES	QTR-QTR	SECTION	TOWNSHIP	RAN	IGE	ME	RIDIAN
LOCATION	ON AT SURFA	CE		1961	1 FSL	. 2299 FWL	NESW	23	7.0 \$	23.0) E		S
Top of U	Jppermost Pro	oducing Zone		1176	5 FNL	_ 2290 FEL	NWNE	23	7.0 S	23.0) E		S
At Total	Depth			1176	5 FNL	2290 FEL	NWNE	23	7.0 S 23.0		23.0 E S		S
21. COU	NTY	UINTAH			-	22. DISTANCE TO NEA	REST LEASE LINE (F 1176	eet)	23. NUMBER OF ACRI	ES IN DRILI 1280			
						25. DISTANCE TO NEA (Applied For Drilling o	or Completed)	POOL	26. PROPOSED DEPTI		VD: 1093	7	
27. ELEV	ATION - GROU	JND LEVEL			-	28. BOND NUMBER	6460		29. SOURCE OF DRIL				
		5625					ESB000024		WATER RIGHTS APPR	OVAL NUM A-36125/ 4		PLICABL	.E
						Hole, Casing	, and C <mark>e</mark> ment Info	rmation					
String	Hole Size	Casing Size	Lengt		eigh							Yield	Weight
Surf	12.25	9.625	0 - 37	793 4	0.0	N-80 LT&C	0.0		on Light , Type Unkr		460	3.12	11.0
<u> 11</u>	0.5	4.5	0 63	265 4	1 0	HCP-110 LT&0	9.5	Halliburton	Premium , Type Ur	iknown	260	0.0	13.5 0.0
Prod	8.5 7.875	4.5	0 - 63	313 1	1.6			Halliburt	on Light , Type Unkr	nown	660	3.18	11.0
1100	7.070	1.0	0 110	010		1101 110 2100	10.0		Premium , Type Ur		580	1.65	13.5
			4			A	TTACHMENTS	*					
			1										
	VE	RIFY THE FOL	LOWING	ARE ATT	ΓACI	HED IN ACCORDAN	ICE WITH THE UTA	AH OIL AND GAS	CONSERVATION G	ENERAL	RULES		
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER						№ сом	COMPLETE DRILLING PLAN						
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					FORM	FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER							
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED) TOPOGRAPHICAL MAP													
NAME Valyn Davis TITLE Regulatory Affairs An:					Analyst		PHONE 435 781-4369)					
SIGNATURE DATE 01/3				TE 01/30/2012			EMAIL Valyn.Davis@q	epres.com					
	IBER ASSIGNE 04752304				АР	PROVAL		bo	00.64111				
							Perm	it Manager					

QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E

DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil & Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. <u>Formation Tops</u>

The estimated top of important geologic markers are as follows:

Formation Name	TVD (ft, RKB)	MD (ft, RKB)
Duchesne River/Uintah	0	0
Green River	2841	2950
Mahogany	3740	3740
Estimated Btm of Mod Saline Water	5516	5801
Wasatch	6046	6365
Mesaverde	8174	8550
Sego	10637	11013
TD	10937	11313

2. Anticipated Depths of Oil, Gas, Water, and Other Mineral Bearing Zones

The estimated depths at which the top of the anticipated water, oil, gas, or other mineral bearing formations are expected to be encountered as follows:

Formation Name (Substance)	Depth (ft, TVD)	Depth (ft, MD)
Green River (Oil)	2841	2950
Wasatch (Gas)	6046	6365
Mesaverde (Gas)	8174	8550
Sego (Gas)	10637	11013

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

RW 2C4-23B 8-Point Drilling Plan Page 1 of 9 Created: January 5, 2012

QEP Energy Company RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If flows are detected, samples will be submitted to the BLM along with any water analyses conducted. Fresh water will be obtained from Wonsits Valley water right A36125 (which was filed on May 7, 1964) or Red Wash water right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System, to supply fresh water for drilling purposes. All water resulting from drilling operations will be disposed of at LaPoint Recycling and Storage in Section 12, T5S R19E of Uintah County, UT or Red Wash Disposal site; SESE, Section 28, T7S, R23E or West End Disposal Site; NESE, Section 28, T7S, R22E.

3. Operator's Specification for Pressure Control Equipment

- A. An 11" 5000 psi double ram with blind rams and pipe rams, annular preventer and drilling spool or BOP with 2 side outlets.
- B. All BOP connections subject to pressure shall be flanged, welded or clamped.
- C. Kill line (2" min), 2 choke line valves (3" min), choke line (3" min), 2 kill line valves (2" min) and a check valve, 2 chokes with one remotely controlled from rig floor and a pressure gauge on choke manifold.
- D. Upper and Lower Kelly cock valves with handles and safety valve and subs to fit all drill string connections.
- E. IBOP or float sub available.
- F. Fill up line must be installed above the uppermost preventer.
- G. Ram type preventers and associated equipment shall be tested to approved stack working pressure if isolated by test plug or to 50 percent of internal yield pressure of casing whichever is less. BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc..., for a 5M system and individual components shall be operable as designed.

RW 2C4-23B 8-Point Drilling Plan Page 2 of 9 Created: January 5, 2012

QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E

4. <u>Casing Design:</u>

Hole	Csg.	Top	Bottom	Wt.	Grade	Thread	Cond.	Expected
Size (in)	Size	(MD)	(MD)	(ppf)				MW(ppg)
22	16	Sfc	40	Steel	Conductor	None	Used	N/A
12.25	9.625	Sfc	3793	40	N-80	LTC	New	Air
8.5	4.5	Sfc	6365	11.6	HCP-110	LTC	New	9.5
7.875	4.5	Sfc	11313	11.6	HCP-110	LTC	New	10.5

Casing Strengths									
OD (in)	Wt (ppf)	Grade	Thread	Collapse (psi)	Burst (psi)	Tensile (kips, min)			
9.625	40	N-80	LTC	3090	5750	727			
4.5	11.6	HCP-110	LTC	8830	10710	279			

Casing Design Factors

*The casing prescribed above meets or exceeds the below listed design factors.

Burst: 1.2 Collapse: 1.2 Tension: 1.6

Maximum anticipated mud weight: 10.5 ppg Maximum anticipated surface treating pressure: 7,200 psi

5. <u>Cementing Program</u>

9-5/8" Surface Casing:

	Lead	<u>Tail</u>
Top of Slurry (ft, MD):	0	3000
Bottom of Slurry (ft, MD):	3000	3000
Weight (ppg):	11.0	13.5
Yeild (ft ³ /sk):	3.12	1.47
% Excess (Open Hole Only):	50%	50%
Volume (ft ³):	1410	373
Volume (Sacks):	460	260

RW 2C4-23B 8-Point Drilling Plan Page 3 of 9 Created: January 5, 2012

RECEIVED: January 30, 2012

QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E

4-1/2" Production Casing*:

	Lead	<u>Tail</u>
Top of Slurry (ft, MD):	3000	8550
Bottom of Slurry (ft, MD):	8550	11313
Weight (ppg):	11.0	13.5
Yeild (ft ³ /sk):	3.18	1.65
% Excess (Open Hole Only):	50%	50%
Volume (ft ³):	2091	948
Volume (Sacks):	660	580

^{*}Final cement volumes to be calculated from caliper log, if run.

6. Auxiliary Equipment

- A. Kelly Cock yes
- B. Float at the bit Yes
- C. Monitoring equipment on the mud system PVT/Flow Show
- D. Full opening safety valve on the rig floor Yes
- E. Rotating Head Yes
- F. Request for Variance:

Drilling surface hole with air:

A variance from 43 CFR 3160 Onshore Oil and Gas Order #2, Section III Requirements, subsection E. Special Drilling Operations is requested for the specific operation of drilling and setting surface casing on the subject well with a truck mounted air rig. The variance from the following requirements of Order #2 is requested because surface casing depth for this well is 50' or deeper into the Mahogany Bench formation and high pressures are not expected.

- 1. **Properly lubricated and maintained rotating head** A diverter system in place of a rotating head. The diverter system forces the air and cutting returns to the reserve pit and is used to drill the surface casing.
- 2. **Blooie line discharge 100 feet from wellbore and securely anchored** the blooie line discharge for this operation will be located 50 to 70 feet from the wellhead. This reduced length is necessary due to the smaller location size to minimize surface disturbance.

RW 2C4-23B 8-Point Drilling Plan Page 4 of 9 Created: January 5, 2012

QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E

- 3. Automatic igniter or continuous pilot light on blooie line a diffuser will be used rather than an automatic pilot/igniter. Water is injected into the compressed air and eliminates the need for a pilot light and the need for dust suppression equipment.
- 4. Compressors located in the opposite direction from the blooie line a minimum of 100 feet from the wellbore compressors located within 50 feet on the opposite side of the wellbore from the blooie line and is equipped with a 1) emergency kill switch on the driller's console, 2) pressure relief valves on the compressors, 3) spark arrestors on the motors.
- 5. Well Kill Fluid A suitable amount of water and weighting agents will be available in the reserve pit during air drilling operations to kill the well, if necessary. No overpressured zones are expected in the area.
- 6. **Deflector on the end of the blooie line** QEP will mount a deflector unit at the end of the blooie line for the purpose of changing the direction and velocity of the air and cuttings flow into the reserve pit. Changing the velocity and direction of the cuttings and air will preserve the pit liner. In the event the deflector washes out due to erosion caused by the sand blasting effect of the cuttings, there will be no problem because the deflector is mounted on the very end of the blooie. A washed out deflector will be easily replaced.
- 7. **Flare Pit** there will be no need of a flare pit during the surface hole air drilling operation because the blooic line is routed directly to the reserve pit. When the big rig arrives for the main drilling after setting surface casing, a flare box will be installed and all flare lines will be routed to the flare box.
- G. Drilling below the 9-5/8" casing will be done with water based mud. Maximum anticipated mud weight is 10.5 ppg.
- H. No minimum quantity of weight material will be required to be kept on location.
- I Gas detector will be used from intermediate casing depth to TD.

7. Testing logging and coring program

- A. Cores none.
- B. DST none anticipated
- C. Logging Mud logging Intermediate Casing to TD OH Logs: GR-SP-Induction, Neutron Density.
- D. Formation and Completion Interval:

RW 2C4-23B 8-Point Drilling Plan Page 5 of 9 Created: January 5, 2012

QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E

- Stimulation will be designed for the particular area of interest as

encountered.


8. <u>Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards</u>

No abnormal temperatures or pressures are anticipated.

Maximum anticipated bottom hole pressure (approx, psi): 5972

Maximum anticipated bottom hole temperature (approx, deg F): 210

H2S has not been encountered in other wells drilled to similar depths in the general area.




RECEIVED: January 30, 2012

QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E




QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E



5M CHOKE MANIFOLD EQUIPMENT - CONFIGURATION OF CHOKES MAY VARY

Although are required for any of the choke manifold systems, buffer tanks are accordings integrind drawnstream of the choke assemblies for the purpose of reparticulating the blood lines together. When buffer tanks are employed, values shall be installed upstream to scale a follow or malformion without interrepting floor control. Though not allowed on 20th, 20th, 10th, OR, 1504 drawnings, it would also be applicable to

[54 FR 39528, Sept. 27, 1985

Created: January 5, 2012

QEP Energy Company

RW 2C4-23B

Uintah County, Utah

SHL: 1961 FSL & 2299 FWL, Section 23, T7S, R23E BHL: 1176 FNL & 2290 FEL, Section 23, T7S, R23E

WELLBORE DIAGRAM

General Information					
Pad	23-23B				
Pod	1				
Elevation, GL	5625				
Elevation, RKB	5641				

Geologic Prognosis						
<u>Formation</u>	<u>TVD</u>	<u>MD</u>				
Duchesne River/Uintah	0	0				
Green River	2841	2950				
Mahogany	3582	3740				
Est Btm of Mod Saline Water	5516	5801				
Wasatch	6046	6365				
Mesaverde	8174	8550				
Sego	10637	11013				
TD	10937	11313				

Hole Size	From (MD)	To (MD)
12.25	0	3793
8.5	3793	6365
7.875	6365	11313

Directional Information						
KOP:	500	ft				
Departure:	2249	ft				
Azimuth:	17.79	deg				

Casing Information							
Size	Wt	Grade	Connection	Depth (MD)			
9.625	40	N-80	LTC	3793			
4.5	11.6	HCP-110	LTC	11313			

Conductor Informa	ation
Conductor set @	40
Cemented to Surface	

Surface Cement						
•	Top (MD)	Wt	Volume			
		(ppg)	(Sacks)			
Lead	0	11	460			
Tail	3000	13.5	260			


Production Cement						
	Top (MD)	Wt	Volume			
		(ppg)	(Sacks)			
Lead	3000	11	660			
Tail	8550	13.5	580			

RW 2C4-23B 8-Point Drilling Plan

Page 9 of 9

RECEIVED: January 30, 2012

Created: January 5, 2012



QEP ENERGY COMPANY

RW #23-23B PAD

LOCATED IN UINTAH COUNTY, UTAH SECTION 23, T7S, R23E, S.L.B.&M.




PHOTO: VIEW OF LOCATION STAKES

CAMERA ANGLE: SOUTHERLY




PHOTO: VIEW OF EXISTING ACCESS

CAMERA ANGLE: SOUTHERLY





Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 (435) 789-1017 * FAX (435) 789-1813


LOCATION PHOTOS

TAKEN BY: A.F. | DRAWN BY: A.W. | REVISED: 00-00-00

РНОТО









QEP ENERGY COMPANY RW #23-23B PAD SECTION 23, T7S, R23E, S.L.B.&M.


PROCEED IN AN EASTERLY, THEN SOUTHERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 3.9 MILES TO THE JUNCTION OF THIS ROAD AND STATE HIGHWAY 45 TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 2.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND PROCEED IN A SOUTHEASTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE PROPOSED LOCATION.


TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED LOCATION IS APPROXIMATELY 24.7 MILES.













QEP ENERGY (UT)

Red Wash 23-23B PAD RW 2C4-23B

Original Hole

Plan: Plan ver.1 - Permit

Standard Planning Report

10 January, 2012





QEP Resources, Inc.

Planning Report



Database: Company: Project:

EDMDB QEP QEP ENERGY (UT) Red Wash

Site: 23-23B PAD Well: RW 2C4-23B Wellbore: Original Hole

Local Co-ordinate Reference:

TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well RW 2C4-23B

RKB @ 5641.30usft (EST. RKB) RKB @ 5641.30usft (EST. RKB)

True

Minimum Curvature

Design: Project

Red Wash

Map System: Geo Datum:

Map Zone:

Site Position:

From:

US State Plane 1983

Plan ver.1 - Permit

North American Datum 1983 Utah Central Zone

System Datum:

Mean Sea Level

Using geodetic scale factor

Site

23-23B PAD

Мар

Northing: Easting:

7,246,686.310 usft 2,256,158.369 usft

Latitude: Longitude:

Grid Convergence:

40.193199 -109.295575

Position Uncertainty:

0.00 usft

Slot Radius:

13-3/16 "

1.41 °

Well Well Position RW 2C4-23B

+N/-S +E/-W

Original Hole

-9.67 usft 10.12 usft 0.00 usft Northing: Easting: Wellhead Elevation: 7,246,676.889 usft 2,256,168.719 usft

5,625.30 usft

Latitude: Longitude: **Ground Level:**

40.193172 -109.295539 5,625,30 usft

Position Uncertainty

Magnetics **Model Name**

Sample Date

12/7/2011

Declination (°) 10.95

Dip Angle (°)

Field Strength

(nT)

52,409

Design

Wellbore

Plan ver.1 - Permit

IGRF2010

Audit Notes:

Version:

Phase:

PLAN

Tie On Depth:

0.00

66.05

Vertical Section:

Depth From (TVD) (usft)

0.00

+N/-S (usft) 0.00

+E/-W (usft) 0.00

Direction (°) 17.79

Plan Sections Measured Vertical Dogleg Build Depth Inclination Azimuth Depth +N/-S +E/-W Rate Rate Rate TFO (usft) (°) (usft) (usft) (usft) (°/100usft) (°/100usft) (°/100usft) (°) (°) Target 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 500.00 0.00 0.00 500.00 0.00 0.00 0.00 0.00 0.00 0.00 1,510.80 20.22 17.79 1,489.96 168.04 53.93 2.00 2.00 0.00 17.79 6,828.49 20.22 17.79 6,480.06 1,917.74 615.42 0.00 0.00 0.00 0.00 8,176.22 0.00 0.00 7,800.00 2,141.79 687.32 1.50 -1.50 0.00 180.00 11,313.22 0.00 0.00 10,937.00 2,141.79 687.32 0.00 0.00 0.00 0.00



QEP Resources, Inc.

Planning Report



Database: Company: Project: EDMDB_QEP QEP ENERGY (UT)

Site:
Well:
Wellbore:

QEP ENERGY (UT Red Wash 23-23B PAD RW 2C4-23B Original Hole Plan ver.1 - Permit Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:

Well RW 2C4-23B

RKB @ 5641.30usft (EST. RKB) RKB @ 5641.30usft (EST. RKB)

True

Minimum Curvature

Design:	Plan ver.1 - Permit								
Planned Survey	A CONTRACTOR OF THE PARTY OF TH	NAME AND PERSON.	ELANE DE LA PART		4-11-2-11				Property White Co.
Measured Depth (usft)	Inclination (°)	Azimuth	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
1,510.80	20.22	17.79	1,489.96	168.04	53.93	176.48	2.00	2.00	0.00
6,828.49	20.22	17.79	6,480.06	1,917.74	615.42	2,014.06	0.00	0.00	0.00
8,176.22	0.00	0.00	7,800.00	2,141.79	687.32	2,249.37	1.50	-1.50	0.00
11,313.22	0.00	0.00	10,937.00	2,141.79	687.32	2,249.37	0.00	0.00	0.00

Design Targets									
Target Name									
- hit/miss target	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting		
- Shape	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)	Latitude	Longitude
RW 2C4-23B Target	0.00	0.00	8,170.00	2,141.79	687.32	7,248,834.790	2,256,803.000	40.199052	-109.293078
 plan misses targe Circle (radius 150 		00usft at 81	76,22usft MD	7800.00 TV	/D, 2141.79 N	I, 687.32 E)			X S

Casing Points						
	Measured	Vertical			Casing	Hole
	Depth	Depth			Diameter	Diameter
	(usft)	(usft)		Name	(")	(")
	3,793.46	3,632.00	8 5/8"		8-5/8	12-1/4

Measured Depth	Vertical Depth			Dip Direction	on
(usft)	(usft)	Name	Lithology	(°)	
2,950.54	2,841.00	Green River		0.00	
3,740.18	3,582.00	Mahogany		0.00	
5,801.14	5,516.00	Est. Moderately Saline Water Base		0.00	
6,365.94	6,046.00	Wasatch		0.00	
8,550.22	8,174.00	Mesaverde		0.00	
11,013.22	10,637.00	Sego		0.00	







Magnotic Field Strength: 52408.8cnT Dip Anglo: 66.05* Date: 127/2011 Model: IGRF2010 Azimutha to True North Magnetic North: 10.95

Project: Red Wash Site: 23-238 PAD Well: PRW 204-238 Wellbore: Original Hole Design: Plan ver.1 - Permit

QEP ENERGY COMPANY RED WASH 23-23B PAD EXPANSION

ONSHORE ORDER NO. 1 MULTI – POINT SURFACE USE & OPERATIONS PLAN

RW 7C1-23B Surface: BHL:	1932' FSL, 2167' FNL,		NESW, T7S, R23E SWNE, T7S, R23E
RW 2C1-23B Surface: BHL:	1971' FSL, 850' FNL, 2	L SEC.23 SEC.23	NESW, T7S, R23E NWNE, T7S, R23E
RW 2C4-23B			
Surface: BHL:	1961' FSL, 1176' FNL,		NESW, T7S, R23E NWNE, T7S, R23E
RW 7B1-23B Surface: BHL:	1951' FSL, 1506' FNL,		NESW, T7S, R23E SWNE, T7S, R23E
RW 7B4-23B Surface: BHL:	1942' FSL, 1836' FNL,		NESW, T7S, R23E SWNE, T7S, R23E
RW 7C4-23B Surface: BHL:	1922' FSL, 2495' FNL,		NESW, T7S, R23E SENE, T7S, R23E
RW 10B1-23B Surface: BHL:	1913' FSL, 2454' FSL,		NESW, T7S, R23E NWSE, T7S, R23E
RW 10B4-23B Surface: BHL:	1903 ⁾ FSL, 2123 [,] FSL,		NESW, T7S, R23E NWSE, T7S, R23E
RW 10C1-23B Surface: BHL:	1775' FSL, 1793' FSL,		NESW, T7S, R23E NWSE, T7S, R23E
RW 10C4-23B Surface: BHL:	1765' FSL, 1461' FSL,		NESW, T7S, R23E NWSE, T7S, R23E
RW 15B1-23B Surface: BHL:	1756' FSL, 1133' FSL,		NESW, T7S, R23E SWSE, T7S, R23E

RECEIVED: January 30, 2012

RW 15B4-23B Surface: BHL:	1746' FSL, 2524' FWL 804' FSL, 2295' FEL	SEC.23 SEC.23	NESW, T7S, R23E SWSE, T7S, R23E
RW 15C1-23B Surface: BHL:	1736' FSL, 2534' FWL 476' FSL, 2295' FEL	SEC.23 SEC.23	NESW, T7S, R23E SWSE, T7S, R23E
RW 15C4-23B Surface: BHL:	1727' FSL, 2544' FWL 144' FSL, 2292' FEL	SEC. 23 SEC.23	NESW, T7S, R23E SWSE, T7S, R23E
RW 2B1-26B Surface: BHL:	1717' FSL, 2554' FWL 186' FNL, 2292' FEL	SEC.23 SEC.26	NESW, T7S, R23E NWNE, T7S, R23E
RW 2B4-26B Surface: BHL:	1707' FSL, 2564' FWL 516' FNL' 2292' FEL	SEC.23 SEC.26	NESW, T7S, R23E NWNE, T7S, R23E
RW 5B4-23B Surface: BHL:	1768' FSL, 2096' FWL 1829' FNL, 342' FWL	SEC.23 SEC.23	NESW, T7S, R23E SWNW, T7S, R23E
RW 5C1-23B Surface: BHL:	1759' FSL, 2106' FWL 2153' FNL, 343' FWL	SEC:23 SEC:23	NESW, T7S, R23E SWNW, T7S, R23E
RW 5C4-23B Surface: BHL:	1749' FSL, 2116' FWL 2483' FNL, 341' FWL	SEC.23 SEC.23	NESW, T7S, R23E SWNW, T7S, R23E
RW 12B1-23B Surface: BHL:	1739' FSL, 2126' FWL 2469' FSL, 342' FWL	SEC.23 SEC.23	NESW, T7S, R23E NWSW, T7S, R23E
RW 12B4-23B Surface: BHL:	1730' FSL, 2136' FWL 2132' FSL, 340' FWL	SEC.23 SEC.23	NESW, T7S, R23E NWSW, T7S, R23E
RW 12C4-23B Surface: BHL:	1720' FSL, 2146' FWL 1472' FSL, 342' FWL	SEC.23 SEC.23	NESW, T7S, R23E NWSW, T7S, R23E
RW 12C1-23B Surface: BHL:	1710' FSL, 2156' FWL 1800' FSL, 343' FWL	SEC.23 SEC.23	NESW, T7S, R23E NWSW, T7S, R23E
RW 13B1-23B Surface: BHL:	1701' FSL, 2166' FWL 1150' FSL, 342' FWL	SEC.23 SEC.23	NESW, T7S, R23E SWSW, T7S, R23E

RECEIVED: January 30, 2012

RW 11B4-23B Surface: BHL:	1573' FSL, 2300' FWL 2127' FSL, 1664' FWL	SEC.23 SEC.23	NESW, T7S, R23E NESW, T7S, R23E
RW 11C1-23B Surface: BHL:	1563' FSL, 2310' FWL 1796' FSL, 1663' FWL	SEC.23 SEC.23	NESW, T7S, R23E NESW, T7S, R23E
RW 11C4-23B Surface: BHL:	1553' FSL, 2320' FWL 1464' FSL, 1663' FWL	SEC.23 SEC.23	NESW, T7S, R23E NESW, T7S, R23E
RW 14B1-23B Surface: BHL:	1544' FSL, 2330' FWL 1142' FSL, 1662' FWL	SEC.23 SEC.23	NESW, T7S, R23E SESW, T7S, R23E
RW 14B4-23B Surface: BHL:	1534' FSL, 2341' FWL 806' FSL, 1660' FWL	SEC.23 SEC.23	NESW, T7S, R23E SESW, T7S, R23E
RW 14C1-23B Surface: BHL:	1524' FSL, 2351' FWL 480' FSL, 1661' FWL	SEC.23 SEC.23	NESW, T7S, R23E SESW, T7S, R23E
RW 14C4-23B Surface: BHL:	1515' FSL, 2361' FWL 149' FSL, 1662' FWL	SEC.23 SEC.23	NESW, T7S, R23E SESW, T7S, R23E
RW 3B1-26B Surface: BHL:	1505' FSL, 2371' FWL 182' FNL, 1661' FWL	SEC.23 SEC.26	NESW, T7S, R23E NENW, T7S, R23E

This surface use and operations plan provides site specific information for the above referenced wells.

An onsite inspection was conducted for the RW 23-23B Pad Expansion on October 11, 2011. Weather conditions were sunny at the time of the onsite. In attendance at the inspection were the following individuals:

Kevin Sadlier

Holly Villa

Bureau of Land Management
Bureau of Land Management
GEP Energy Company

Stephanie Tomkinson
Ryan Angus
Valyn Davis
Bob Haygood
QEP Energy Company

Andy Floyd Uintah Engineering & Land Surveying

The proposed project consists of a 32 well pad with 14.198 acres of total disturbance. This equates to approximately 0.43 acres of disturbance per well.

1. Existing Roads:

The proposed well site is approximately 25 miles South of Vernal, Utah.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

All existing roads will be maintained and kept in good repair during all phases of operation.

2. Planned Access Roads:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Refer to Topo Map B for the location of the proposed access road.

No new access road is proposed. The access to be used is the existing road that parallels pod #2. The road will be re-routed on the north east side of the pad and will remain on the pad. Graveling or capping the roadbed will be performed as necessary to provide a well constructed safe road. Should conditions warrant, rock, gravel or culverts will be installed as needed.

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1 - Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Please refer to Figure 1 for production facility layout and location.

The following guidelines will apply if the well is productive.

A containment dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). These dikes will be constructed of compacted impervious subsoil; hold 110% of the capacity of the largest tank; and, be independent of the back cut. If a Spill Prevention, Control, and Countermeasure (SPCC) Plan is required by the Environmental Protection Agency, the containment dike may be expanded to meet SPCC requirements with approval by the BLM/VFO AO. The specific APD will address additional capacity if such is needed due to environmental concerns. The use of topsoil for the construction of dikes will not be allowed.

All loading lines will be placed inside the berm surrounding the tank batteries.

All permanent (on site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a color approved by the BLM.

It was determined on the onsite by the BLM VFO AO that the facilities will be painted Covert Green.

The existing 3" pipeline that crosses the proposed location will be re-routed to the north east side of the pad for safety. The proposed pipeline re-route is 1,354' in length, containing approximately .932 acres. Please refer to Topo Map D for the location of the existing pipeline and the re-route.

Refer to Topo Map D for the location of the proposed pipeline.

All existing equipment will be moved off location before any construction begins.

The proposed surface pipeline will be constructed utilizing existing disturbed areas to minimize surface disturbance. No construction activities will be allowed outside of the proposed pipeline.

Prior to construction, the Permittee will develop a plan of installation to minimize surface disturbance. Pipe will be strung along the pipeline route with either a flatbed trailer and rubber tired backhoe or a tracked typed side boom. Where surface conditions do not allow the pipe to be strung using conventional methods, the Permittee will utilize pull sections to run the fabricated pipe through the area from central staging areas along the pipeline route.

Upon completion of stringing activities the Permittee will fabricate the pipeline on wooden skids adjacent to the centerline of the pipeline route using truck mounted welding machines. All fabricated piping will be lowered off of the wooden skids and placed along the centerline. Upon completion of all activities, the wooden skids will be removed from the pipeline route using a flatbed truck or flatbed truck and trailer.

When the surface terrain prohibits the Permittee from safely installing the pipeline along the pipeline route, grading of the route will be required. Prior to installing the pipeline in these areas a plan will be developed to safely install the pipeline while minimizing grading activities and surface disturbances. Additionally, erosion control Best Management Practices will be installed as needed prior to the start of any grading activities. Surface grading will be limited to what is needed to safely install the pipeline. Track type bulldozers and track type backhoes will be utilized for grading activities.

Upon completion of the pipeline installation, the pipeline route will be restored to the pre-disturbance surface contours.

The proposed pipeline will be a surface 10" or smaller, 1,059' in length, containing .729 acres.

Road Crossings

Fusion Bond or concrete coated pipe will be used for all road crossings to alleviate future corrosion.

All pipe and fittings used for road crossings will be prefabricated within the proposed pipeline route to minimize the duration of open pipe trench across the roadway. Pipe used for road crossings will be isolated on each end with a flange set and insulation kit and cathodically protected with a magnesium type anode. Adequately sized equipment will be used for minor and major road crossings. Depth of cover for minor roads will be >4' and the depth of cover for major roads will be >6'.

Prior to lowering the pipe in the trench, the Permittee will "Jeep" the pipe to locate and repair any Holidays in the pipe coating. Upon lowering the pipe in the trench, 6" of bedding and a minimum of 6" of shading will be installed to protect the pipe using either native soils <1" in diameter or imported sand. Pipe trenches that extend across gravel roads will be backfilled with native soils to within 8" of the driving surface and capped with 3/4" road base. Pipe trenches that extend across asphalt paved roads will be backfilled to 4" of the driving surface with 3/4" road base and capped asphalt material.

5. Location and Type of Water Supply:

Please refer to QEP Energy Company Greater Deadman Bench ElS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Water for drilling purposes would be obtained from Wonsits Valley Water Right # A 36125 (which was filed on May 7, 1964) or Red Wash Water Right # 49-2153 (which was filed on March 25, 1960). It was determined by the Fish and Wildlife Service that any water right number filed before 1989 is not depleting to the Upper Colorado River System.

6. Source of Construction Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2-3.

7. Methods of Handling Waste Materials:

Please refer to QEP Energy Company Greater Deadman Bench EIS UTU-080-200-0369V Record of Decision dated March 31, 2008.

Drill cuttings will be contained and buried in the reserve pit.

Drilling fluids including salts and chemicals will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 6 months after drilling is terminated.

Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

Unless specified in the site specific APD, the reserve pit will be constructed on the location and will not be located within natural drainages, where a flood hazard exists or surface runoff will or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

It will be determined at the on-site inspection if a pit liner is necessary, the reserve pit will be lined with a synthetic reinforced 30 mil liner with sufficient bedding to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place.

No trash or scrap will be disposed of in the pit.

Reserve pit leaks are considered an undesirable event and will be orally reported to the AO.

After first production, produced wastewater will be confined to the approved pit or storage tank for a period not to exceed 90 days.

After the 90 day period, the produced water will be contained in tanks on location and then hauled by truck to one of the following pre-approved disposal sites:

Red Wash Disposal well located in the SESE, Section 28, T7S, R23E, West End Disposal located in the NESE, Section 28, T7S, R22E, NBE 12 SWD-10-9-23 located in the NWSW, Section 10, 9S, 23E.

Produced water, oil, and other byproducts will not be applied to roads or well pads for the control of dust or weeds. The dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site. The spills will be reported to the AO and other authorities as appropriate.

A chemical porta-toilet will be furnished with the drilling rig. The chemical porta-toilet wastes will be hauled to Ashley Valley Sewer and Water System for disposal.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location. All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig. All trash and waste material will be hauled to the Uintah County Landfill.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within these areas. Specific APD's shall address any modifications from this policy.

8. Ancillary Facilities:

None anticipated.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram rig orientation, parking areas, and access roads, as well as the location of the following:

The reserve pit.

The stockpiled topsoil will not be used for facility berms. All brush removed from the well pad during construction will be stockpiled with topsoil.

The flare pit or flare box will be located downwind from the prevailing wind direction.

Any drainage that crosses the well location will be diverted around the location by using ditches, water diversion drains or berms. If deemed necessary at the on-site, erosion drains may be installed to contain sediments that could be produced from access roads and well locations.

A pit liner is required. A felt pit liner will be required if bedrock is encountered.

10. Fencing Requirements:

Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.

All pits will be fenced according to the following minimum standards:

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched using a stretching device before it is attached to corner posts.

The reserve pit will be fenced on three (3) sides during drilling operations. The fourth side will be put in place when the rig moves off location. The pit will be fenced and maintained until it is backfilled. If drilling operations does not commence within 3 days, the fourth side of the fence will be installed

11. Plans for Reclamation of the Surface:

Please refer to QEP Energy Company Uinta Basin Division Reclamation Plan

Site Specific Procedures:

Site Specific Reclamation Summary:

Reclamation will follow QEP Energy Company, Uinta Basin Division's Reclamation Plan, September 2009 (QEP's Reclamation Plan) and the BLM Green River District Reclamation Guidelines.

After the pad is built, the topsoil piles will be seeded, signed, and erosion control devices and techniques will be implemented.

All trash and debris will be removed from the disturbed area.

After the wells are on production, the pad will be downsized to a smaller production pad.

The cuttings pit is located in the center of the production pad; it will be backfilled and capped with road base and gravel.

Interim reclamation will be conducted on the portion of the pad that is downsized.

The interim reclamation area will be recontoured to blend with the surrounding landscape. All topsoil will be evenly distributed.

Water courses and drainages will be established.

Erosion control devices and techniques will be installed where needed.

Seeding will be done in the fall, prior to ground freeze up.

The seed mix will be determined prior to seeding.

Monitoring and reporting will be conducted as stated in QEP's Reclamation Plan. A reference site and weed data sheet have been established and are included in this application.

Weed control will be conducted as stated in QEP's Reclamation Plan.

It was determined and agreed upon that there is 5" inches of top soil.

12. Surface Ownership:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435) 781-4400

13. Other Information:

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted on October 19, 2011, **State of Utah Antiquities Project U-11-MQ-0913b** by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.

A Class III paleontological survey was conducted by Intermountain Paleo Consulting. A copy of this report was submitted on October 14, 2011 IPC # 11-176 by Stephen D. Sandau. The inspection resulted in the location of no fossil resources. However, if vertebrate fossil(s) are found during construction a paleontologist should be immediately notified. QEP Energy Company will provide Paleo monitor if needed.





11002 East 17500 South Vernal, UT 84078 Telephone 435-781-4331 Fax 435-781-4395

January 26, 2012

Ms. Diana Mason Division of Oil, Gas and Mining P.O. Box 145801 Salt Lake City, UT 84114-6100

RE: Directional Drilling R649-3-11
Red Wash Unit
RW 2C4-23B
T7S-R23E
Section 23:
1961' FSL, 2299' FWL, NESW (Surface)
1176' FNL, 2290' FEL NWNE, (Bottom Hole)
Uintah County, Utah

Dear Ms. Mason:

Pursuant to the filing of QEP Energy Company Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649 -3-11 pertaining to the location and drilling of a directional well.

QEP Energy Company is permitting this well at this location for geological reasons. Locating the well at the surface location and directionally drilling from this location, QEP Energy Company will be able to minimize surface disturbance.

Furthermore, QEP Energy Company certifies that it is the sole working interest owner within 460 feet of the entire directional well bore.

Therefore, based on the above stated information QEP Energy Company requests the permit be granted pursuant to Rule R649-3-11.

Sincerely,

QEP Energy Company

Jan Nelson Permit Agent

Lessee's or Operator's Representative & Certification:

Valyn Davis Regulatory Affairs Analyst QEP Energy Company 11002 East 17500 South Vernal, UT 84078 (435) 781-4369

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

QEP Energy Company is considered to be the operator of the subject well. QEP Energy Company agrees to be responsible under terms and conditions of the lease for the operations conducted upon leased lands.


Bond coverage pursuant to 43 CFR 3104.2 for lease activities is being provided by Bond No. ESB000024

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist, that I have full knowledge of the State and Federal laws applicable to this operations; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Valyn Waws

1/27/2012

Date



API Well Number: 43047523040000

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

February 7, 2012

Memorandum

API#

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2012 Plan of Development Red Wash Unit,

Uintah County, Utah.

WELL NAME

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2012 within the Red Wash Unit, Uintah County, Utah.

LOCATION

Λι ι π	VVL	LL INAIVIL		LOCATIO		
(Proposed PZ	MES	SA VERDE)		X		
43-047-52303	RW	2C1-23B BHL		R23E R23E		
43-047-52304	RW	2C4-23B BHL		R23E R23E		
43-047-52305	RW	7B1-23B BHL		R23E R23E		
43-047-52306	RW	7B4-23B BHL		 R23E R23E	-	
43-047-52307	RW	7C1-23B BHL		 R23E R23E	-	
43-047-52308	RW			R23E R23E		
43-047-52309	RW			 R23E R23E	-	
43-047-52310	RW			 R23E R23E	-	
43-047-52311	RW			R23E R23E		

RECEIVED: February 14, 2012

API#	WELL NAME	LOCATION	
(Proposed PZ	MESA VERDE)		
43-047-52312		'S R23E 1759 FSL 'S R23E 2153 FNL	
43-047-52313		'S R23E 1707 FSL 'S R23E 0516 FNL	
43-047-52314		'S R23E 1727 FSL 'S R23E 0144 FSL	
43-047-52315		S R23E 1756 FSL S R23E 1133 FSL	
43-047-52316		'S R23E 1736 FSL 'S R23E 0476 FSL	
43-047-52317		'S R23E 1765 FSL 'S R23E 1461 FSL	
43-047-52318		'S R23E 1544 FSL 'S R23E 1142 FSL	
43-047-52319		S R23E 1746 FSL S R23E 0804 FSL	
43-047-52320		S R23E 1775 FSL S R23E 1793 FSL	
43-047-52321		S R23E 1553 FSL S R23E 1464 FSL	
43-047-52322		'S R23E 1903 FSL 'S R23E 2123 FSL	
43-047-52323		'S R23E 1922 FSL 'S R23E 2495 FNL	
43-047-52324		S R23E 1717 FSL S R23E 0186 FNL	
43-047-52325		'S R23E 1505 FSL 'S R23E 0182 FNL	
43-047-52326		'S R23E 1563 FSL 'S R23E 1796 FSL	
43-047-52327		'S R23E 1749 FSL 'S R23E 2483 FNL	
43-047-52328		'S R23E 1739 FSL 'S R23E 2469 FSL	
43-047-52329		'S R23E 1720 FSL 'S R23E 1472 FSL	

Page 2

API Well Number: 43047523040000

Page 3 API# WELL NAME LOCATION (Proposed PZ MESA VERDE) 43-047-52330 RW 12C1-23B Sec 23 T07S R23E 1710 FSL 2156 FWL BHL Sec 23 T07S R23E 1800 FSL 0343 FWL 43-047-52331 RW 14C4-23B Sec 23 T07S R23E 1515 FSL 2361 FWL BHL Sec 23 T07S R23E 0149 FSL 1662 FWL 43-047-52332 RW 12B4-23B Sec 23 T07S R23E 1730 FSL 2136 FWL BHL Sec 23 T07S R23E 2132 FSL 0340 FWL 43-047-52333 RW 13B1-23B Sec 23 T07S R23E 1701 FSL 2166 FWL BHL Sec 23 T07S R23E 1150 FSL 0342 FWL 43-047-52334 RW 11B4-23B Sec 23 T07S R23E 1573 FSL 2300 FWL BHL Sec 23 T07S R23E 2127 FSL 1664 FWL

This office has no objection to permitting the wells at this time.

Michael L. Coulthard Digitary Signed by Michael L. Coulthard Digitary Signed

bcc: File - Red Wash Unit

Division of Oil Gas and Mining

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:2-7-12

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 1/30/2012 API NO. ASSIGNED: 43047523040000

WELL NAME: RW 2C4-23B

OPERATOR: QEP ENERGY COMPANY (N3700) PHONE NUMBER: 435 781-4369

CONTACT: Valyn Davis

PROPOSED LOCATION: NESW 23 070S 230E Permit Tech Review:

> SURFACE: 1961 FSL 2299 FWL **Engineering Review:**

> BOTTOM: 1176 FNL 2290 FEL Geology Review:

COUNTY: UINTAH

LATITUDE: 40.19317 LONGITUDE: -109.29545 NORTHINGS: 4450590.00 UTM SURF EASTINGS: 645093.00

FIELD NAME: RED WASH LEASE TYPE: 1 - Federal

> **LEASE NUMBER: UTU082** PROPOSED PRODUCING FORMATION(S): MESA VERDE

SURFACE OWNER: 1 - Federal COALBED METHANE: NO


LOCATION AND SITING: **RECEIVED AND/OR REVIEWED:** R649-2-3. ✓ PLAT Unit: RED WASH Bond: FEDERAL - ESB000024 R649-3-2. General **Potash** Oil Shale 190-5 R649-3-3. Exception Oil Shale 190-3 Oil Shale 190-13 **Drilling Unit** Water Permit: A-36125/ 49-2153 Board Cause No: Cause 187-07 Effective Date: 9/18/2001 **RDCC Review:** Siting: Suspends General Siting Fee Surface Agreement Intent to Commingle R649-3-11. Directional Drill Commingling Approved

Comments: Presite Completed

4 - Federal Approval - dmason Stipulations:

15 - Directional - dmason

API Well No: 43047523040000



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: RW 2C4-23B

API Well Number: 43047523040000

Lease Number: UTU082 Surface Owner: FEDERAL Approval Date: 2/14/2012

Issued to:

QEP ENERGY COMPANY, 11002 East 17500 South, Vernal, Ut 84078

Authority:

Pursuant to Utah Code Ann. 40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 187-07. The expected producing formation or pool is the MESA VERDE Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well contact Carol Daniels at 801-538-5284

(please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas

API Well No: 43047523040000

website

at http://oilgas.ogm.utah.gov

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
 - Report of Water Encountered (Form 7) due within 30 days after completion
 - Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas



FORM APPROVED OMB No. 1004-0137

UNITED STATES DEPARTMENT OF THE INTERIOR JAN 2 6 2012 BUREAU OF LAND MANAGEMENT

	Expires July 31, 2010	
5.	Lease Serial No.	
UTI	J082	

APPLICATION FOR PERMIT TO	DRI	LLBON VERNAL,	UTAH	o. ii inulali, Anole	c of time	Name		
la. Type of work:	ER			7 If Unit or CA Agreement, Name and No. 892000761X				
lb. Type of Well: Oil Well Gas Well Other	8. Lease Name and RW 2C4-23B	l Well No.						
2. Name of Operator QEP ENERGY COMPANY				9. API Well No.	523	3 <i>(</i>)4	4	
3a. Address 11002 SOUTH 17500 EAST VERNAL, UT 84078		Phone No. (include area code) 5) 781-4369		10. Field and Pool, of RED WASH	r Explorator	y	•	
4. Location of Well (Report location clearly and in accordance with a	ny State	requirements.*)		11. Sec., T. R. M. or	Blk.and Su	rvey or A	Area	
At surface NESW, 1961' FSL, 2299' FWL, 40.193172 N	LAT.,	, 109.295539 W LON.		SEC. 23, T7S, R2	3E, MER	SLB		
At proposed prod. zone NWNE, 1176' FNL, 2290' FEL, 40.	1990	53 N LAT., 109.29307 W L	ON.					
14. Distance in miles and direction from nearest town or post office* 25 MILES +/- SOUTH EAST OF VERNAL, UTAH				12. County or Parish UINTAH		13. Sta UT	ite	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)	15. Distance from proposed* 1176' 16. No. of acres location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)			g Unit dedicated to this	well			
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 6460' FROM UNIT BOUNDARY LINE	11,	Proposed Depth 313 MD 937 TVD	20. BLM/E ESB000	BIA Bond No. on file 024				
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5625 GL	1	Approximate date work will star 01/2012	23. Estimated duration 30 DAYS					
	24.	Attachments						
The following, completed in accordance with the requirements of Onshor	re Oil a	and Gas Order No.1, must be att	tached to thi	s form:			 -	
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office). 	Lands,	Item 20 above). the 5. Operator certification	ation	s unless covered by ar				
25. Signature Valyn wavs		Name (Printed/Typed) VALYN DAVIS			Date 01/26/2	:012		
Title REGULATORY AFFAIRS ANALYST					I			
Approved by (Signature)		Name (Printed/Typed) Jerry	Kenc	zka	Data MUG	0 1	2012	
Title Assistant Field Manager Lands & Mineral Resources		Office VERNA	L FIEL	D OFFICE			•	
Application approval does not warrant or certify that the applicant holds conduct operations thereon. Conditions of approval, if any, are attached.	s legal	or equitable title to those rights	in the subj	ect lease which would e	entitle the ap	oplicant	to	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

UDOGM

RECEIVED

AUG 2 4 2012

DIV. OF OIL, GAS & MINING

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED

CONFIDENTIAL

. w= 1/1/10



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE** 170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:	QEP ENERGY COMPANY	Location:	NESW, Sec.23,T7S R23E
Well No:	RW 2C4-23B	Lease No:	UTU-082
API No:	43-047-52304	Agreement:	Red Wash

OFFICE NUMBER:

(435) 781-4400

RECEIVED

AUG 2 4 2012

OFFICE FAX NUMBER: (435) 781-3420 DIV. OF OIL, GAS & MINING

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm_ut_vn_opreport@blm.gov
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	_	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

RECEIVED

AUG 2 4 2012

Page 2 of 9 Well: RW 2C4-23B 7/26/2012

DIV. OF OIL, GAS & MINIMG SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop
 work and contact the Authorized Officer (AO). A determination will be made by the AO as to what
 mitigation may be necessary for the discovered paleontologic material before construction can
 continue.

Site Specific COA's

- When feasible, two or more rigs (including drilling and completion rigs) will not be run simultaneously within 200 meters of each other. If two or more rigs must be run simultaneously within 200 meters of each other, then effective public health buffer zones out to 200 meters (m) from the nearest emission source will be implemented. Examples of an effective public health protection buffer zone include the demarcation of a public access exclusion zone by signage at intervals of every 250 feet that is visible from a distance of 125 feet during daylight hours, and a physical buffer such as active surveillance to ensure the property is not accessible by the public during drilling operations. Alternatively, the proponent may demonstrate compliance with the 1-hour NO2 National Ambient Air Quality Standards (NAAQS) with appropriate and accepted near-field modeling. As part of this demonstration, the proponent may propose alternative mitigation that could include but is not limited to natural gas—fired drill rigs, installation of NOX controls, time/use restrictions, and/or drill rig spacing.
- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horse power must not emit more than 2 grams of NOx per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower-hour.
- All new and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 grams of NOx per horsepower-hour.
- Green completions would be used for all well completion activities where technically feasible.
- Employ enhanced VOC emission controls with 95% control efficiency on production equipment having a potential to emit greater than 5 tons per year.
- The reserve pit will be fenced on three sides prior to drilling activity and closed off on the fourth side after drilling is finished. The reserve pits for the wells will be lined with a 16 ml liner with felt.
- A dike will be constructed around those production facilities that contain fluids. The dikes will be constructed of compacted subsoil. They will be impervious, hold 10 percent more than the capacity of the largest tank, and be independent of the back cut.

RECEIVED

AUG 2 4 2012

Page 3 of 9 Well: RW 2C4-23B 7/26/2012

DIV. OF OIL. GAS & MINING

- All permanent (meaning on site for six months or longer) structures will be painted Covert Green to
 match the surrounding landscape color unless otherwise authorized. This will include all facilities
 except those required to comply with Occupational Safety and Health Act (OSHA) regulations.
- If dry, the wells will be plugged and abandoned as per BLM and State of Utah requirements.
- Prior to construction, an invasive plants/noxious weeds inventory will be completed for all areas
 where surface disturbance will occur. A completed Weed Inventory form documenting any
 occurrences of invasive plants or noxious weeds will be submitted to the BLM Authorized Officer
 before surface disturbance will occur.
- All vehicles and equipment would be cleaned either through power-washing, or other approved method, if the vehicles or equipment are brought in from areas outside the Uinta Basin, to prevent weed seed introduction.
- The operator will control noxious/invasive weeds along their roads, pipelines, well sites, or other applicable facilities by the application of herbicides or by mechanical removal until reclamation is considered to be successful by the authorized officer (AO) and the bond for the well is released. A list of noxious weeds will be obtained from the BLM or the appropriate county extension office. On BLM-administered land, the operator will submit a Pesticide Use Proposal and obtain approval prior to the application of herbicides, other pesticides, or possible hazardous chemicals.
- Immediately upon well completion, the location and surrounding area shall be cleared of all unused tubing, equipment, debris, materials, and trash. Any hydrocarbons in the pit will be removed in accordance with 43 CFR 3162.7-1.
- The reserve pit and the portion of the well not needed for production facilities/operations shall be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 120 days from the date of well completion, or as soon as environmental conditions allow. The stockpiled pit topsoil will then be spread over the pit area and broadcast-seeded/drill seeded (preferred method) with a seed mix submitted to the BLM Authorized Officer (AO) for approval prior to seeding. Seeding will be done in the fall prior to winter freezing of the soil. The seed mixture shall be worked into the topsoil with a drill seeder, bulldozer or other heavy equipment. If initial seeding is not successful, reseeding may be required.
- Once the well is plugged and facilities are removed and abandoned, the topsoil shall be stripped
 and stockpiled off of the location, and the well site, pipelines, and access roads will be returned to
 natural contours. The topsoil shall be respread, and the location seeded with the mixture submitted
 to the BLM AO. The seed mixture shall be worked into the topsoil with a drill seeder, bulldozer or
 other heavy equipment.
- Interim reclamation, final reclamation, and monitoring of reclaimed areas will be completed in accordance with the QEP Energy Company, Uinta Basin Division's Reclamation Plan, September 2009 on file with the Vernal Field Office of the BLM.
- Prior to any surface disturbance, vegetative monitoring locations and reference sites will be
 identified by QEP and approved by the BLM AO. Vegetation monitoring protocol will be developed
 by QEP and approved by the BLM AO prior to implementation of revegetation techniques and will
 be designed to monitor % basal vegetative cover.
- Revegetated areas will be inspected annually and monitored to document location and extent of
 areas with successful revegetation, and areas needing further reclamation (for a period of 5 years
 after construction completion). A reclamation report will be submitted to the AO by March 31 of
 each year.

Page 4 of 9 Well: RW 2C4-23B 7/26/2012

• QEP has agreed not to construct or drill during the following dates, unless otherwise determined by the BLM Authorized Officer.

Table 2-2 Raptor nesting timing restriction

Well Name	Burrowing Owl: March 1 to August 31
CPF	Yes
RW 23-23B Pad	No
RW 44-22B Pad	No
RW 43-27B Pad	No

RECEIVED
AUG 2 4 2012

DIV. OF OIL, GAS & MINING

Yes indicates QEP would not drill or construct during this time period.

• QEP will educate its contractors and employees about the relevant federal regulations intended to protect paleontological and cultural resources. All vehicular traffic, personnel movement, construction, and restoration activities shall be confined to areas cleared by the site inventory and to existing roads. If any potential paleontological or cultural resources are uncovered during construction, work will stop immediately in the area and the appropriate BLM AO will be notified.

Page 5 of 9 Well: RW 2C4-23B 7/26/2012

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

Gamma ray Log shall be run from Total Depth to Surface.

RECEIVED

• CBL will be run from TD to TOC.

AUG 2 4 2012

Variances Granted:

DIV. OF OIL, GAS & MINING

Air Drilling

- Properly lubricated and maintained rotating head. Variance granted to use a properly maintained and lubricated diverter bowl in place of a rotating head.
- Blooie line discharge 100' from the well bore. Variance granted for blooie line discharge to be 50' to 70' from the well bore.
- Compressors located in the opposite direction from the blooie line a minimum of 100' from the well bore. Variance granted for truck/trailer mounted air compressors located 50' from the well bore.
- In lieu of mud products on location, operator will fill a 400 bbl tank with water for the kill medium.
- Automatic igniter. Variance granted for igniter, a diffuser will be used instead. Operator will mount a
 deflector at the end of the blooie line to change direction and reduce the velocity of the cuttings flow
 to the reserve pit.
- Flare pit. Variance granted, there is no need of a flare during the drilling of the surface hole.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order

RECEIVED

AUG 2 4 2012

Page 6 of 9 Well: RW 2C4-23B 7/26/2012

DIV. OF OIL. GAS & MINING

No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.

- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is
 encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal
 Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

AUG 2 4 2012

Page 7 of 9 Well: RW 2C4-23B 7/26/2012

OPERATING REQUIREMENT REMINDERS:

DIV. OF OIL. GAS & MINING

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written communication
 and must be received in this office by not later than the fifth business day following the date on
 which the well is placed on production. The notification shall provide, as a minimum, the following
 informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of

RECEIVED

AUG 2 4 2012

Page 8 of 9 Well: RW 2C4-23B

DIV. OF OIL, GAS & MINING

the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to
 the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first.
 All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All
 product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in
 accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
 lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
 suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
 obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior approval
 of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
 approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
 of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of

Page 9 of 9 Well: RW 2C4-23B 7/26/2012

the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

RECEIVED
AUG 2 4 2012
DIV. OF OIL, GAS & MINING

BLM - Vernal Field Office - Notification Form

Operator Rig Name/#Submitted By Floyd Marting
Phone Number 435-828-0315
Well Name/Number R.W. 2C4-23B
Qtr/Qtr Section 23 Township 75 Range 23 E
Lease Serial Number <u>UTU 082</u>
API Number <u>4304752 30 40000</u>
<u>Spud Notice</u> – Spud is the initial spudding of the well, not drilling out below a casing string.
Date/Time Aug 28 2012 AM PM X
Casing – Please report time casing run starts, not cementing times. Surface Casing Intermediate Casing Production Casing Liner Other
Date/Time AM [] PM []
BOPE Initial BOPE test at surface casing point BOPE test at intermediate casing point 30 day BOPE test Other BOPE test at surface casing point AUG 2 8 2012 DIV. OF OIL, GAS & MINING
Date/Time AM PM
Remarks Spud Conductor

Sundry Number: 29374 API Well Number: 43047523040000

	FORM 9			
ι	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: RED WASH			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		DNE NUMBER: 3-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL		COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:		CHANGE TUBING	CHANGE WELL NAME	
SUBSEQUENT REPORT		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
Date of Work Completion:		FRACTURE TREAT	☐ NEW CONSTRUCTION	
		PLUG AND ABANDON	L PLUG BACK	
SPUD REPORT Date of Spud:		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON	
8/28/2012		SIDETRACK TO REPAIR WELL VENT OR FLARE	☐ WATER DISPOSAL	
DRILLING REPORT		SI TA STATUS EXTENSION	APD EXTENSION	
Report Date:				
		OTHER	OTHER:	
	COMPLETED OPERATIONS. Clearly show all per			
Valyn Davis	435 781-4369	Regulatory Affairs Analyst		
SIGNATURE N/A		DATE 8/29/2012		

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM

zip 84078

Operator:

QEP ENERGY COMPANY

Operator Account Number: N 3700

Address:

11002 EAST 17500 SOUTH

city VERNAL

state UT

Phone Number: (435) 781-4369

Well 1

API Number	Well	Name	QQ	Sec	Twp	Rng		County
4304752303	RW 2C1-23B		NESW	23	7S	23E	į,	HATAIL
Action Code	Current Entity Number	New Entity Number	s	pud Da	te	· · · · · · · · · · · · · · · · · · ·	tity Ass Effectiv	ignment e Date
В	99999	18478	8	/28/201	2	d	121	12012
Comments: WMM	FD		Willeman					

: hwh

Wall 2

Comments: WMMFD CONFIDENTIAL							
В	99999	18478		/28/201	2	918	21 12012
Action Code	Current Entity Number	New Entity Number	S	pud Da	te		ity Assignment ffective Date
4304752304	RW 2C4-23B	NESW	23	7 S	23E	UINTAH	
API Number	Well	Name	QQ	Sec	Twp	Rng	County

Well 3

API Number	Well	Name	QQ	Sec	Twp	Rng	County
4304752305	RW 7B1-23B	NESW	23	7 S	23E	UINTAH	
Action Code	Current Entity Number	New Entity Number	i s	pud Da	fe	THE PERSON NAMED IN COLUMN	tity Assignment Effective Date
В	99999	18478		3/28/201	2	91	21 12012
Comments: WMM	CONTIDENTIAL						

ACTION CODES:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section) RECEIVED

Valyn Davis

Name (Please Print)

Signature Regulatory Affairs Analyst

9/10/2012

Title

Date


SEP 1 0 2012


	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly of reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below Ital laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merid	ian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 2/28/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show a	OF FEBRUARY 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 25, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 3/25/2013	
14/73		U/2U/2U/J	

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly dee reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,		ONE NUMBER: 3-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	water shutoff	SI TA STATUS EXTENSION	APD EXTENSION
3/31/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all porTHIS WELL DURING THE MONT	H OF MARCH 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 4/1/2013	

Sundry Number: 36052 API Well Number: 43047523040000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	STATE OF UTAH	-	FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDF	RY NOTICES AND REPORTS O	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
QEP ENERGY COM SPACING OF THE ME COMPANY REQUES THE ABOVE MENT 1337' FNL, 166	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all PANY WOULD LIKE TO OPTIMISES A VERDE DEVELOPMENT. THISTS TO CHANGE THE BOTTOM HOLD WELL. NEW BOTTOM HOLD WELL. NEW BOTTOM HOLD WELL. NEW BOTTOM HOLD TOWN, SEC. 23, T7S, TUDE: 109.297819. PLEASE SE PLAT, DIRECTIONAL PLANS	ZE THE BOTTOM HOLE EREFORE, QEP ENERGY I HOLE LOCATION FOR OLE FOOTAGES ARE: R23E. LATITUDE: EE ATTACHED: LEGAL	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION OTHER: Depths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Date: April 09, 2013 By:
NAME (PLEASE PRINT)	PHONE NUMBE	R TITLE	
Valyn Davis SIGNATURE	435 781-4369	Regulatory Affairs Analyst DATE	
N/A		4/1/2013	







QEP ENERGY (UT)

Red Wash 23-23B PAD RW 2C4-23B

Original Hole

Plan: Plan ver.0

Standard Planning Report

25 March, 2013





Wellbore:

Design:

QEP Resources, Inc.

Planning Report



 Database:
 EDM_QEP

 Company:
 QEP ENERGY (UT)

 Project:
 Red Wash

 Site:
 23-23B PAD

 Well:
 RW 2C4-23B

Red Wash
23-23B PAD
RW 2C4-23B
Original Hole

Local Co-ordinate Reference: TVD Reference: MD Reference: North Reference:

Survey Calculation Method:

Well RW 2C4-23B

RKB @ 5642.30usft (SST 54) RKB @ 5642.30usft (SST 54)

True

Minimum Curvature

Project Red Wash

Map System: US State Plane 1983

Geo Datum: North American Datum 1983

Plan ver.0

Map Zone: Utah Central Zone

Mean Sea Level

Using geodetic scale factor

Site 23-23B PAD

 Site Position:
 Northing:
 7,246,686.310 usft
 Latitude:
 40.193199

 From:
 Map
 Easting:
 2,256,158.369 usft
 Longitude:
 -109.295575

 Position Uncortainty:
 0.00 usft
 Slot Position:
 13.2(46 lb.)
 Ciril Convergence:
 1.41°

System Datum:

Position Uncertainty: 0.00 usft Slot Radius: 13-3/16 " Grid Convergence: 1.41 °

Well RW 2C4-23B

 Well Position
 +N/-S
 -9.67 usft
 Northing:
 7,246,676.889 usft
 Latitude:
 40.193172

 +E/-W
 10.12 usft
 Easting:
 2,256,168.719 usft
 Longitude:
 -109.295539

Position Uncertainty 0.00 usft Wellhead Elevation: 5,625.30 usft Ground Level: 5,625.30 usft

Wellbore Original Hole Magnetics **Model Name** Sample Date Declination **Dip Angle** Field Strength (nT) (°) (°) IGRF2010 12/7/2011 10.95 66.05 52,409

Design Plan ver.0 **Audit Notes:** Tie On Depth: Version: Phase: PLAN 0.00 Vertical Section: Depth From (TVD) +N/-S +E/-W Direction (usft) (usft) (usft) (°) 0.00 0.00 0.00 342.18

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,587.14	17.74	342.18	1,573.03	129.73	-41.71	2.00	2.00	0.00	342.18	
7,372.24	17.74	342.18	7,082.96	1,808.10	-581.33	0.00	0.00	0.00	0.00	
8,555.10	0.00	0.00	8,247.00	1,981.07	-636.94	1.50	-1.50	0.00	180.00	RW 2C4-23B
11,462.10	0.00	0.00	11,154.00	1,981.07	-636.94	0.00	0.00	0.00	0.00	

3/25/2013 2:34:03PM Page 2 COMPASS 5000.1 Build 65

RECEIVED: Apr. 01, 2013



QEP Resources, Inc.

Planning Report



 Database:
 EDM_QEP

 Company:
 QEP ENERGY (UT)

 Project:
 Red Wash

 Site:
 23-23B PAD

Well: RW 2C4-23B
Wellbore: Original Hole
Design: Plan ver.0

Local Co-ordinate Reference:

TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well RW 2C4-23B

RKB @ 5642.30usft (SST 54) RKB @ 5642.30usft (SST 54)

True

Minimum Curvature

anned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
1,587.14	17.74	342.18	1,573.03	129.73	-41.71	136.27	2.00	2.00	0.00
7,372.24	17.74	342.18	7,082.96	1,808.10	-581.33	1,899.25	0.00	0.00	0.00
8,555.10	0.00	0.00	8,247.00	1,981.07	-636.94	2,080.94	1.50	-1.50	0.00
11,462.10	0.00	0.00	11,154.00	1,981.07	-636.94	2,080.94	0.00	0.00	0.00

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
RW 2C4-23B - plan hits target cer - Circle (radius 150.0		0.00	8,247.00	1,981.07	-636.94	7,248,641.500	2,255,483.210	40.198610	-109.297819

Casing Points						
	Measured	Vertical		Casing	Hole	
	Depth	Depth		Diameter	Diameter	
	(usft)	(usft)	Name	(")	(")	
	3,778.34	3,660.00 7-5/8"		7-5/8	9-7/8	

Formations						
	Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
	2,967.78	2,888.00	Green River			
	3,171.47	3,082.00	Top of Birds Nest			
	3,428.71	3,327.00	Base of Birds Nest			
	3,725.84	3,610.00	Mahogony Bench			
	5,754.33	5,542.00	Base of Mod Saline			
	6,329.70	6,090.00	Wasatch			
	8,555.10	8,247.00	Mesaverde			
	10,680.10	10,372.00	Neslen			
	11,090.10	10,782.00	Lower Neslen			
	11,262.10	10,954.00	Sego			

RECEIVED: Apr. 01, 2013




Company Name: QEP ENERGY (UT)

Azimaths to True North
Magnetic North: 10.95°

Magnetic Field
Streight: 52408.88nT
Dp Angle: 66.05°
Dide: 127/2011
Model: 4678/2010
Design: Plan ver.0

PROJECT DETAILS: Red Wash REFERENCE INFORMATION WELL DETAILS: RW 2C4-23B Geodetic System: US State Plane 1983 Co-ordinate (N/E) Reference: Well RW 2C4-23B, True North Datum: North American Datum 1983 Ground Level Vertical (TVD) Reference: RKB @ 5642.30usft (SST 54) Ellipsoid: GRS 1980 Section (VS) Reference: Slot - (0.00N, 0.00E) +N/-S +E/-W Northing Easting Latittude Slot Zone: Utah Central Zone Measured Depth Reference: RKB @ 5642.30usft (SST 54) 0.00 0.00 7246676.889 2256168.719 40.193172 -109.295539 Calculation Method: Minimum Curvature System Datum: Mean Sea Level



	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merid	ian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 4/30/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
1,00,2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a THIS WELL DURING THE MC		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 02, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 5/1/2013	
		_ 0, 1, _ 0 1 0	

RECEIVED: May. 01, 2013

	STATE OF UTAH		FORM 9
I	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merid	ian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date: 5/31/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
0/01/2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a		depths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 12, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		6/10/2013	

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.	eepen existing wells below al laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 808-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
		7	
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL
Report Date: 6/30/2013		SI TA STATUS EXTENSION	APD EXTENSION
3,00,20.0	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all THIS WELL DURING THE MO		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 10, 2013
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBE 435 781-4369	R TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 7/2/2013	
		, , <u>_</u> , , <u>_</u> ,	

RECEIVED: Jul. 02, 2013

Sundry Number: 41031 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridia	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE [ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:		_	
	L REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	UENT OR FLARE	☐ WATER DISPOSAL
Report Date: 7/31/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
7/31/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NO ACTIVITY ON	COMPLETED OPERATIONS. Clearly show all	ONTH OF JULY 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 07, 2013
NAME (PLEASE PRINT) Benna Muth	PHONE NUMBE 435 781-4320	R TITLE Regulatory Assistant	
SIGNATURE	100 701 7020	DATE	
N/A		8/6/2013	

		FORM 9			
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: PHONE NUMBER: 11002 East 17500 South , Vernal, Ut, 84078 303 308-3068 Ext			9. FIELD and POOL or WILDCAT RED WASH	T:	
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: UINTAH		
1961 FSL 2299 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 23 Township: 07.0S Range: 23.0E Meridian: S			STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE	☐ AI	LTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	С	HANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FF	RACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	□ рі	LUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FOR	MATION
Date of Spud:	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL	TEMPORARY ABANDON	MATION
DRILLING REPORT Report Date: 9/30/2013	L TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL	
	☐ WATER SHUTOFF ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	∟ sı	I TA STATUS EXTENSION	APD EXTENSION	
3,00,20.0	WILDCAT WELL DETERMINATION	□ o	THER	OTHER:	
NO ACTIVITY ON TH	COMPLETED OPERATIONS. Clearly sho	NTH O	F SEPTEMBER 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD October 01, 201	ONLY
NAME (PLEASE PRINT) PHONE NUMBER Benna Muth 435 781-4320		TITLE Regulatory Assistant			
SIGNATURE N/A			DATE 10/1/2013		

Sundry Number: 41977 API Well Number: 43047523040000

			FORM 9	
	POKIM 9			
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082			
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: RED WASH			
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: RW 2C4-23B			
2. NAME OF OPERATOR: QEP ENERGY COMPANY	9. API NUMBER: 43047523040000			
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	9. FIELD and POOL or WILDCAT: RED WASH			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL	COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION				
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion:		7		
	Derator Change	PLUG AND ABANDON	L PLUG BACK	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION	
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON	
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
8/31/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
	COMPLETED OPERATIONS. Clearly show all THIS WELL DURING THE MON	TH OF AUGUST 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 02, 2013	
NAME (PLEASE PRINT) Benna Muth	PHONE NUMBE 435 781-4320	R TITLE Regulatory Assistant		
SIGNATURE N/A		DATE 9/3/2013		

Sundry Number: 44468 API Well Number: 43047523040000

	FORM 9			
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY	9. API NUMBER: 43047523040000			
3. ADDRESS OF OPERATOR: PHONE NUMBER: 11002 East 17500 South , Vernal, Ut, 84078 303 308-3068 Ext			9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL	COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 23 Township: 07.0S Range: 23.0E Meridian: S			STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	TUBING REPAIR		☐ WATER DISPOSAL ☐	
Report Date: 10/31/2013	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
10/01/2010	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
NO ACTIVITY ON T	COMPLETED OPERATIONS. Clearly show HIS WELL DURING THE MON	NTH OF OCTOBER 2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 05, 2013	
NAME (PLEASE PRINT) PHONE NUMBER Valyn Davis 435 781-4369		BER TITLE Regulatory Affairs Analyst		
SIGNATURE N/A		DATE 11/5/2013		

Sundry Number: 45484 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		DNE NUMBER: 3-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	U TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
11/30/2013		OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF NOVEMBER 2013. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 02, 2013				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER	TITLE Regulatory Affairs Analyst		
SIGNATURE	435 781-4369	DATE		
N/A		12/2/2013		

Sundry Number: 46531 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South	Vernal, Ut, 84078 303	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meri	dian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
12/31/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF DECEMBER 2013. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 07, 2014				
NAME (PLEASE PRINT)	PHONE NUME			
Valyn Davis	435 781-4369	Regulatory Affairs Analys	t	
SIGNATURE N/A		DATE 1/6/2014		

RECEIVED: Jan. 06, 2014

Sundry Number: 47383 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Mer	idian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL ☐	
Report Date: 1/31/2014		SI TA STATUS EXTENSION	APD EXTENSION	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF JANUARY 2014. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 03, 2014				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER TITLE Regulatory Affairs Analyst		
SIGNATURE N/A		DATE 2/3/2014		

RECEIVED: Feb. 03, 2014

Sundry Number: 48364 API Well Number: 43047523040000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deepe zontal la	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30		NE NUMBER: 3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Me	ridian: S	5	STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	Па	LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	С	HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FF	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PI	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□ sı	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	□ vi	ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	☐ si	I TA STATUS EXTENSION	APD EXTENSION
2/28/2014	WILDCAT WELL DETERMINATION		THER	OTHER:
44 DESCRIPE PROPOSED OR			··· ·	<u>, </u>
	COMPLETED OPERATIONS. Clearly show	-		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 04, 2014
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	IBER	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A			DATE 3/4/2014	

RECEIVED: Mar. 04, 2014

Sundry Number: 49493 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantly of reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below Ital laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merid	ian: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL	
Report Date: 3/31/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
0,01,2011	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF MARCH 2014. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2014				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst		
SIGNATURE		DATE		
N/A		4/2/2014		

RECEIVED: Apr. 02, 2014

Sundry Number: 50682 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
1	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
4/30/2014				
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF APRIL 2014. Accepted by the Utah Division of Oil, Gas and Mining FORAREC, ORD ONLY				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBE 435 781-4369	R Regulatory Affairs Analyst		
SIGNATURE N/A		DATE 5/6/2014		

Sundry Number: 51724 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Mer	idian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT			APD EXTENSION	
Report Date: 5/31/2014	WATER SHUTOFF	SI TA STATUS EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. No activity on this well during the month of May 2014. Accepted by the Utah Division of Oil, Gas and Mining FORUME 5. QRD ONLY				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER TITLE Regulatory Affairs Analyst		
SIGNATURE	+55 / 0 1-4509 	DATE		
N/A		6/2/2014		

Sundry Number: 52881 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 08-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridia	an: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
6/30/2014		7		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF JUNE 2014. Accepted by the Utah Division of Oil, Gas and Mining FOR PROPOSED ONLY				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBE 435 781-4369	R TITLE Regulatory Affairs Analyst		
SIGNATURE N/A		DATE 7/2/2014		

RECEIVED: Jul. 02, 2014

Sundry Number: 54140 API Well Number: 43047523040000

STATE OF UTAH			FORM 9	
]	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30		DNE NUMBER: -3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Mei	ridian:	s	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	_ I	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	ı	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXTENSION
7/31/2014	WILDCAT WELL DETERMINATION		OTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF JULY 2014. Accepted by the Utah Division of Oil, Gas and Mining FORUSE CORP. POILY				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A			DATE 8/5/2014	

Sundry Number: 54942 API Well Number: 43047523040000

	STATE OF UTAH				FORM 9
1	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND UTU082	SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR	TRIBE NAME:	
	posals to drill new wells, significar reenter plugged wells, or to drill ho n for such proposals.			7.UNIT or CA AGREEMENT I RED WASH	NAME:
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER RW 2C4-23B	₹:
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078		NE NUMBER: -3068 Ext	9. FIELD and POOL or WILD RED WASH	OCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E M	leridian: \$	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		LTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	P	LUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFEREN	T FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□s	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		I TA STATUS EXTENSION	APD EXTENSION	
8/31/2014			TA STATUS EXTENSION		i
	WILDCAT WELL DETERMINATION		THER	OTHER:	
	COMPLETED OPERATIONS. Clearly sh			Accepted by the Utah Division of Oil, Gas and Min FOR RECORI August 28, 20	of ning D ONLY
NAME (PLEASE PRINT) Valyn Davis	PHONE NU 435 781-4369	JMBER	TITLE Regulatory Affairs Analyst		
SIGNATURE N/A			DATE 8/28/2014		

Sundry Number: 56337 API Well Number: 43047523040000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOUR		FORM 9	
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30:	PHONE NUMBER: 3 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meri	dian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐	
Report Date: 9/30/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	☐ OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF SEPTEMBER 2014. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 06, 2014				
NAME (PLEASE PRINT) Valyn Davis	PHONE NUME 435 781-4369	BER TITLE Regulatory Affairs Analyst		
SIGNATURE		DATE		
N/A		10/6/2014		

Sundry Number: 57344 API Well Number: 43047523040000

	STATE OF UTAH			FORM	9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBE UTU082	R:	
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	_
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.	y deeper contal lat	n existing wells below terals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	_
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 2C4-23B	_
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30:		ENUMBER: 3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meri	ridian: S		STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NAT	TURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE	☐ ALT	TER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	СНА	ANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	☐ con	MMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRA	ACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	☐ PLU	JG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	☐ REC	CLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION		ETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR		NT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT					
Report Date: 10/31/2014	WATER SHUTOFF	□ SIT	A STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	∐ отн	HER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF OCTOBER 2014. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 03, 2014 NAME (PLEASE PRINT) PHONE NUMBER TITLE					
Valyn Davis	PHONE NUM! 435 781-4369		Regulatory Affairs Analyst		
SIGNATURE N/A			DATE 11/3/2014		

Sundry Number: 58330 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
I	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meric	lian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 11/30/2014	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 03, 2014
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		12/1/2014	

Sundry Number: 59460 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 308-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merio	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOF	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL
Report Date: 12/31/2014	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
. =, 5 ., = 5	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 07, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 1/5/2015	

Sundry Number: 60445 API Well Number: 43047523040000

			FORM 9
	STATE OF UTAH		
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	RY NOTICES AND REPORTS OF	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, FOR PERMIT TO DRILL form	posals to drill new wells, significantly der reenter plugged wells, or to drill horizonta n for such proposals.	epen existing wells below I laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		HONE NUMBER: 08-3068 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridiar	n: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		
		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date: 1/31/2015	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
NC	COMPLETED OPERATIONS. Clearly show all post of the complete of	ING THE MONTH OF JA	
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 2/2/2015	

RECEIVED: Feb. 02, 2015

Sundry Number: 61267 API Well Number: 43047523040000

	STATE OF UTAH				FORM 9
ι	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M		3	5.LEASE DESIGNA UTU082	TION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN, ALLO	OTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significant reenter plugged wells, or to drill hori: n for such proposals.	ly deep zontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGR RED WASH	EEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAME and RW 2C4-23B	NUMBER:
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 430475230400	00
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078		NE NUMBER: -5919 Ext	9. FIELD and POO RED WASH	L or WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Me	ridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER D	ATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASING REP	PAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WE	ELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	☐ CONVERT W	ELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	FRACTURE TREAT	☐ NEW CONST	FRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		TE DIFFERENT FORMATION
SPUD REPORT Date of Spud:					
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORAR	
✓ DRILLING REPORT	L TUBING REPAIR		/ENT OR FLARE	☐ WATER DISF	
Report Date: 2/28/2015	WATER SHUTOFF ■	□ :	SI TA STATUS EXTENSION	☐ APD EXTENS	SION
	WILDCAT WELL DETERMINATION		OTHER	OTHER:	
l .	COMPLETED OPERATIONS. Clearly sho	-		Accepte Utah Di Oil, Gas a	ed by the division of and Mining CORD ONLY 03, 2015
NAME (PLEASE PRINT)	PHONE NUM	//BER	TITLE		
Valyn Davis	435 781-4369		Regulatory Affairs Analyst		
SIGNATURE N/A			DATE 3/3/2015		

Sundry Number: 62240 API Well Number: 43047523040000

					_
	STATE OF UTAH			FORM	9
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI			5.LEASE DESIGNATION AND SERIAL NUMBER UTU082	R:
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	_
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horize n for such proposals.	/ deepen existii ontal laterals. L	ng wells below Jse APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	_
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 2C4-23B	_
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBE 3 595-5919 E:		9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH	_
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meri	idian: S		STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE C	OF NOTICE, REPOR	RT, OR OTHER DATA	_
TYPE OF SUBMISSION		TYP	E OF ACTION		
	ACIDIZE	ALTER CASING	i	CASING REPAIR	_
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBIN	NG	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE P	RODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TRE	EAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABA	ANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION	OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO	REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLAR	E	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS I	EXTENSION	APD EXTENSION	
3/31/2015	WILDCAT WELL DETERMINATION	OTHER			
				OTHER:	_
l .	COMPLETED OPERATIONS. Clearly show THIS WELL DURING THE MO			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2015	
NAME (DI FACE DEINT)	DIANE WITH	DED THE			_
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMI 435 781-4369		tory Affairs Analyst		
SIGNATURE N/A		DATE 4/1/20	15		_

RECEIVED: Apr. 01, 2015

Sundry Number: 63097 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.	leepen existing wells below Ital laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merid	an: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:			
	☐ OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT Date of Spud:	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
4/30/2015	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a	- · · · · · · · · · · · · · · · · · · ·	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 05, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBI 435 781-4369	R TITLE Regulatory Affairs Analyst	
SIGNATURE		DATE	
N/A		5/4/2015	

RECEIVED: May. 04, 2015

Sundry Number: 63643 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de eenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		HONE NUMBER: 95-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridia	n: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
5/31/2015		7	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show all N THIS WELL DURING THE MC		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 01, 2015
NAME (DI EACE BRINT)	DUONE NUMBER	TITLE	
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	R TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 6/1/2015	

Sundry Number: 64562 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINII		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		PHONE NUMBER: 95-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridia	n: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT		SI TA STATUS EXTENSION	APD EXTENSION
Report Date: 6/30/2015	L WATER SHUTOFF		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show all	-	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 01, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBE 435 781-4369	Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 7/1/2015	

RECEIVED: Jul. 01, 2015

Sundry Number: 65168 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merid	ian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 7/31/2015		SI TA STATUS EXTENSION	APD EXTENSION
.,,=0.0	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show a		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 04, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	ER TITLE Regulatory Affairs Analyst	
SIGNATURE	.55 / 61 / 1550	DATE	
N/A		8/3/2015	

Sundry Number: 65889 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly deep eenter plugged wells, or to drill horizontal l n for such proposals.		7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,		DNE NUMBER: -5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 3 Township: 07.0S Range: 23.0E Meridian:	S	STATE: UTAH
11. CHEC	CAPPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	☐ WATER SHUTOFF ☐ 5	SI TA STATUS EXTENSION	APD EXTENSION
8/31/2015		OTHER	OTHER:
10 DECODINE DRODOGED OR			<u>,</u>
	COMPLETED OPERATIONS. Clearly show all pe THIS WELL DURING THE MONTH		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 02, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMBER 435 781-4369	TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 9/2/2015	

Sundry Number: 66630 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
[DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, r FOR PERMIT TO DRILL form	posals to drill new wells, significantly eenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 13 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Mer	ridian: S	STATE: UTAH
11. CHECK	APPROPRIATE BOXES TO INDICATE	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date: 9/30/2015	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 02, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 10/1/2015	

Sundry Number: 67428 API Well Number: 43047523040000

	STATE OF UTAH			FORI	VI 9
ι	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M			5.LEASE DESIGNATION AND SERIAL NUMBER UTU082	ER:
SUNDR	RY NOTICES AND REPORTS	ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	_
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	deepen existing well ontal laterals. Use AP	ls below PPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	_
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 595-5919 Ext		9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Mei	idian: S		STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOT	TICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION		
	ACIDIZE	ALTER CASING		CASING REPAIR	_
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING		CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING	G FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT		NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON		PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL	SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR W		TEMPORARY ABANDON	
			VELL		
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE		WATER DISPOSAL	
Report Date: 10/31/2015	WATER SHUTOFF	SI TA STATUS EXTENSION	N	APD EXTENSION	
. 6, 6 ., 26 . 6	WILDCAT WELL DETERMINATION	OTHER		OTHER:	
l .	COMPLETED OPERATIONS. Clearly show			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 03, 2015	
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369	BER TITLE Regulatory Aff	fairs Analyst		
SIGNATURE N/A		DATE 11/2/2015			_

Sundry Number: 68061 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below intal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merio	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL
Report Date: 11/30/2015	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show HIS WELL DURING THE MON		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 01, 2015
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE	.,	DATE	
N/A		12/1/2015	

Sundry Number: 68836 API Well Number: 43047523040000

	FORM 9		
ι	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Merio	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	U VENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 12/31/2015	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
. =, 5 ., = 5 . 5	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 06, 2016
NAME (PLEASE PRINT) Valyn Davis	PHONE NUME 435 781-4369	BER TITLE Regulatory Affairs Analyst	
SIGNATURE N/A		DATE 1/5/2016	

Sundry Number: 69534 API Well Number: 43047523040000

	FORM 9			
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Mer	idian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
✓ DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL ☐	
Report Date: 1/31/2016	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF JANUARY 2016. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 02, 2016				
NAME (PLEASE PRINT)	PHONE NUM			
Valyn Davis	435 781-4369	Regulatory Affairs Analyst		
SIGNATURE N/A		DATE 2/1/2016		

RECEIVED: Feb. 01, 2016

Sundry Number: 70277 API Well Number: 43047523040000

	STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M		i	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well		8. WELL NAME and NUMBER: RW 2C4-23B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30		NE NUMBER: -5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH
		ridian: \$	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDIC.	ATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	A	LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	☐ c	HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	P	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
FOOTAGES AT SURFACE: 1961 FSL 2299 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 23 Township: 07.0S Range: 23.0E Meridian: S 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTATION TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACIDIZE ALTER CASING CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE WELL STATUS COMMINGLE PRODUCTION Date of Work Completion: SPUD REPORT Date of Spud: PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR VENT OR FLARE VENT OR FLARE VENT OR FLARE	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	□ v	ENT OR FLARE	WATER DISPOSAL
Report Date:	☐ WATER SHUTOFF	□ s	I TA STATUS EXTENSION	APD EXTENSION
2/29/2016	WILDCAT WELL DETERMINATION		THER	OTHER:
		-		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 04, 2016
NAME (PLEASE PRINT)	PHONE NUN	1BER	TITLE Regulatory Affairs Analyst	
Valyn Davis	435 781-4369		Regulatory Affairs Analyst	
SIGNATURE N/A			DATE 3/3/2016	

RECEIVED: Mar. 03, 2016

Sundry Number: 70917 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meri	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	PHONE NUMBER TYPE OF ACTION ALTER CASING CHANGE TREATURE TO MINING PHONE NUMBER: 303 595-5919 Ext ALTER CASING CHANGE TUBING ALTER CASING CHANGE TUBING ALTER CASING FRACTURE TREAT GE PLUG AND ABANDON ART OR RESUME RECLAMATION OF WELL SITE SITE STATUS EXTENSION CHANGE TUBING ACTURE TREAT GE PLUG AND ABANDON ART OR RESUME RECLAMATION OF WELL SITE SITE ASTATUS EXTENSION CHANGE TUBING ART OR RESUME RETERMINATION OTHER RATIONS. Clearly show all pertinent details including dates, de DURING THE MONTH OF MARCH 2016.	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
3/31/2016			
	WILDCAT WELL DETERMINATION		OTHER:
l .			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 07, 2016
NAME (DI FACE DOUNT)	DIANE NUMBER		
NAME (PLEASE PRINT) Valyn Davis	PHONE NUM 435 781-4369		st
SIGNATURE N/A			

RECEIVED: Apr. 04, 2016

Sundry Number: 71565 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well		8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meri	dian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	RAL RESOURCES S, AND MINING REPORTS ON WELLS significantly deepen existing wells below to drill horizontal laterals. Use APPLICATION PHONE NUMBER: 303 595-5919 Ext STO INDICATE NATURE OF NOTICE, REPOR TYPE OF ACTION ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON IME RECLAMATION OF WELL SITE SITA STATUS EXTENSION ON OTHER CICIONICATE NATURE OF NOTICE, REPOR TYPE OF ACTION ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT SITA STATUS EXTENSION ON OTHER CICIONICATE NATURE OF NOTICE, REPOR TYPE OF ACTION ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT SITA STATUS EXTENSION ON OTHER CICIONICATE NATURE OF NOTICE, REPOR TYPE OF ACTION TYPE OF ACTION ALTER CASING CHANGE TUBING C	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
4/30/2016	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 03, 2016
NAME (PLEASE PRINT) Jan Nelson	PHONE NUME 435 781-4331		
SIGNATURE		DATE	
N/A		▮ 5/3/2016	

RECEIVED: May. 03, 2016

Sundry Number: 72164 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9	
ι	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082	
SUNDR	Y NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly dreenter plugged wells, or to drill horizon nor such proposals.	eepen existing wells below tal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B	
2. NAME OF OPERATOR: QEP ENERGY COMPANY				
3. ADDRESS OF OPERATOR: 11002 East 17500 South ,			9. FIELD and POOL or WILDCAT: RED WASH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Meridi	an: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTED CACING	CASING REPAIR	
NOTICE OF INTENT				
Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE WELL NAME	
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	ON WELLS deepen existing wells below ontal laterals. Use APPLICATION PHONE NUMBER: 3 595-5919 Ext CO UI dian: S TYPE OF ACTION ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL VENT OR FLARE SITA STATUS EXTENSION OTHER all pertinent details including dates, depth MONTH OF MAY 2016.	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	CI TA STATUS EVTENSION	APD EXTENSION	
5/31/2016		SI TA STATUS EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF MAY 2016. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 06, 2016				
NAME (PLEASE PRINT)	PHONE NUMBE			
Jan Nelson	435 781-4331			
SIGNATURE N/A				

Sundry Number: 72926 API Well Number: 43047523040000

	STATE OF UTAH				FORM 9
1	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND N		6	5.LEASE DE UTU082	SIGNATION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORT	S ON	WELLS	6. IF INDIAN	, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significant eenter plugged wells, or to drill hori n for such proposals.			7.UNIT or C.	A AGREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NA RW 2C4-2	ME and NUMBER: 3B
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUME 43047523		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 3		NE NUMBER: -5919 Ext	9. FIELD an	d POOL or WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 2	IIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Me	eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	T, OR OTH	ER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	☐ ca	SING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	Сн	ANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	□ со	NVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT	□ NE	W CONSTRUCTION
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON	☐ PLI	JG BACK
SPUD REPORT	PRODUCTION START OR RESUME	F	RECLAMATION OF WELL SITE	RE	COMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	□ те	MPORARY ABANDON
	TUBING REPAIR		/ENT OR FLARE	□ wa	TER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	П	SI TA STATUS EXTENSION		D EXTENSION
6/30/2016					i
	WILDCAT WELL DETERMINATION		OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF JUNE 2016. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 07, 2016					
NAME (PLEASE PRINT)	PHONE NUI	MBER	TITLE		
Jan Nelson	435 781-4331		Permit Agent		
SIGNATURE N/A			DATE 7/7/2016		

RECEIVED: Jul. 07, 2016

Sundry Number: 73479 API Well Number: 43047523040000

	STATE OF UTAH				FORM 9
ι	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M			5.LEASE DESIGNA UTU082	TION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN, ALLO	OTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, r FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	ly deep zontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGR RED WASH	EEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAME and RW 2C4-23B	d NUMBER:
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 430475230400	000	
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30		NE NUMBER: -5919 Ext	9. FIELD and POO RED WASH	L or WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Me	ridian: \$	S	STATE: UTAH	
11. CHECK	K APPROPRIATE BOXES TO INDIC.	ATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER D	ATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE	A	LTER CASING	CASING REF	PAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WI	ELL NAME
Approximate date work will start.	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT W	VELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ г	RACTURE TREAT	☐ NEW CONS	TRUCTION
	OPERATOR CHANGE	□ р	LUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLE	TE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL		Y ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	☐ WATER DISI	
Report Date: 7/31/2016	☐ WATER SHUTOFF ☐	∟ s	I TA STATUS EXTENSION	☐ APD EXTEN	SION
.,	WILDCAT WELL DETERMINATION	□ 0	THER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF JULY 2016. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 04, 2016					
NAME (PLEASE PRINT) Jan Nelson	PHONE NUN 435 781-4331	/IBER	TITLE Permit Agent		
SIGNATURE N/A			DATE 8/2/2016		

RECEIVED: Aug. 02, 2016

Sundry Number: 74211 API Well Number: 43047523040000

	STATE OF UTAH		FORM 9		
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU082		
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	reenter plugged wells, or to drill horiz	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: RED WASH		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RW 2C4-23B		
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047523040000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 30	PHONE NUMBER: 3 595-5919 Ext	9. FIELD and POOL or WILDCAT: RED WASH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1961 FSL 2299 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 23 Township: 07.0S Range: 23.0E Mer	idian: S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDIC	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	ATURAL RESOURCES GAS, AND MINING D REPORTS ON WELLS ells, significantly deepen existing wells below, or to drill horizontal laterals. Use APPLICATION R PHONE NUMBER: 303 595-5919 Ext CC ST TYPE OF ACTION ALTER CASING CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON RESUME RESUME RESUME RECLAMATION OF WELL SITE TORMATION OTHER ONS. Clearly show all pertinent details including dates, dept lING THE MONTH OF AUGUST 2016.	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME		RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION		TEMPORARY ABANDON		
✓ DRILLING REPORT	TUBING REPAIR		☐ WATER DISPOSAL ☐		
Report Date: 8/31/2016	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. NO ACTIVITY ON THIS WELL DURING THE MONTH OF AUGUST 2016. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 07, 2016					
NAME (PLEASE PRINT) Jan Nelson	PHONE NUM 435 781-4331				
SIGNATURE		DATE			
N/A		9/6/2016			